



Environmental  
Geotechnical  
Specialists



## RIG DATA SHEET

# Premier Tracker 110

DRILLING TYPES

**Windowless sampling**

SAMPLING & TESTING METHODS

**SPT, U70, UT100, DPSH**

GEOLOGY/STRATA

**Superficial deposits:** Gravels, Sands, Silts, Clays  
**(To prove) Bedrock geology:** Mudstone, Sandstone, Siltstone, other rock

SLOPE

**Up to 20 degrees**

ADDITIONAL USES

**Hydraulic breaker**  
**Hydraulic stihl saw**  
**Hydraulic concrete corer**  
**Falling head tests**  
**Gas & groundwater monitoring well installations**



# Premier Tracker 110 continued



WINDOWLESS SAMPLING DIAMETER	<b>47mm - 117mm</b>
CONCRETE CORING WIDTH	<b>50mm - 152mm</b>
TRACKING LENGTH	<b>2800mm</b>
TRACKING HEIGHT	<b>1700mm</b>
TRACKING WIDTH	<b>700mm</b>
WORKING HEIGHT	<b>3000mm</b>
WORKING WIDTH	<b>700mm</b>
SOUND LEVEL	<b>92 - 104 dB</b>
CREW SIZE	<b>2 man crew</b>
VEHICLES	<b>1 vehicle, 1 trailer</b>
IDEAL WORKING AREA	<b>2000mm x 4000mm</b>

This data sheet is for general guidance only and should be used alongside advice provided by RGS.



## Need more help?

GET IN TOUCH WITH US TODAY



TELEPHONE: 01484 **604354**

FAX: 0843 51 599 30

EMAIL: [enquiries@rogersgeotech.co.uk](mailto:enquiries@rogersgeotech.co.uk)

